

# LOHAS

AUSTRALIA

ROOF TILE COLLECTION


## FRENCH VHV ROOF TILE SPEC GUIDE

LOHASAU.COM


## VHV Vario Natrual Red



## TECHNICAL INFORMATION



Definition:	Hollow clay roof tile with double side closure, double head closure and adjustable batten distance. The VHV Classic and Vario also has a double variable side closure.
Min. roof slope with shelter - Fleece of Fleece Plus: - Fleece Premium:	25° 15°, subject to the instructions in the brochure Facade and underroof films.
Useful length (bar spacing):	± 288 - 308 mm
Useful width: Vario Classic	± 216 - 222 mm ± 218 mm
Number of pieces/m <sup>2</sup> : Vario Classic	± 14.6 - 15.9 ± 14.9 - 15.9
Unit weight: Vario Classic	± 2.70 kg ± 2.44 kg
Weight per m <sup>2</sup> : Vario Classic	± 39.4 - 43.5 kg ± 36.4 - 38.8 kg
Breaking load:	> 1200 N
Impermeability:	≤ 0,5 cm <sup>3</sup> /cm <sup>2</sup> .d
Frost resistance:	Frost resistance
Placement:	Straight



1A frost	1200
1B North tree	1200
2A Beginning and end frost with head plate	3100
Vorst met dubbele well	1250
2B Frost with double well	1260
3 Left facade tile	3110
Left ventPan with double well pan	7080
4 Right facade tile	8050
5 Articulated pan	7090
Articulated pan with double well	8200
Crochet frost with double well	8250
6 Left gable hinged tile	8550
7 Right gable tile	7280
11 hook frost	7290
12 Left gable hook frost	8500
13 Right gable hook frost	7580
14 half pan	7590
16 Half Kit cooker + cap pan	8010
17 Ventilation pan/hook feed pan	*
Swift pan	8728
Cable entry pan	8741 *
19 prince hat	8640
	8660
	8958
	5140
	5500
	5520
	5540
	5560

1



2



3





1. VHV Classic Braised Blue
2. VHV Vario Rustic
3. VHV Vario Black Matt Glazed
4. VHV Vario Night Blue Glazed

COLOUR RANGE



Classic Braised Blue



Classic Braised Rust Blue



Classic Satiny Rust Black



Classic Satiny Black



Vario Natural Red



Vario Rustic Glazed



Vario Light Brown Glazed



Vario Red Satiny



Vario Rustic Satiny



Vario Wine Red Glazed



Vario Brown Glazed



Vario Black-Brown Engobe



Vario Black Matt Glazed



Vario Slate Matt Glazed



Vario Slate Engobe




Vario Night Blue Glazed




Vario Black Glazed




**TECHNICAL INFORMATION - CLASSIC LAYING PLANS**




Length-section roof at frost VHV Classic




Length-section roof at hook frost VHV Classic



Cross-section roof at the height of facade tiles VHV Classic




Cross-section roof at the height of pan with double well - VHV Classic




Length-section roof at the height of knikpan VHV Classic

Cross-section roof at frost VHV Classic


**TECHNICAL INFORMATION - VARIO LAYING PLANS**




Length-section roof at frost VHV Vario




Length-section roof at frost VHV Vario





Cross-section roof at the height of facade tiles VHV Vario




Cross-section roof at the height of facade tiles VHV Vario




Length-section roof at the height of knikpan VHV Vario




**TECHNICAL INFORMATION**




**JN0001200**  
3 - 3.1 pieces/Lm  
Semicircular frost/northern  
tree Vario - 225 mm




**JN0001215**  
Semicircular initial initial/final  
frost Vario with head plate -  
225 mm




**JN0001250**  
Semicircular frost Vario with  
double wel - 225 mm



**JN0001260**  
Semicircular North Pole Vario  
- 225 mm




**JN0003100**  
3 pieces/Lm Conical North  
Tree




**JN0003110**  
Conical Beginning North  
Tree

# TECHNICAL INFORMATION - CLADDING TILES




**J/NVHV7080**  
3.3 pieces/Lm Left  
facade tile

**J/NHV7090**  
3.3 pieces/Lm Right  
facade tile



**J/NVHV7280**  
3 pieces/Lm Left gable hinged  
pan


**J/NVHV7290**  
3 pieces/Lm Right gable  
hinged pan




**J/NVHV7580**  
Left gable hook  
frost

**J/NVHV7590**  
Right gable hook  
frost


**TECHNICAL INFORMATION - OTHER ACCESSORIES**




**JVHV8010**  
3.3 pieces/Lm half pan





**J/NVHV8050**  
3.3 pieces/Lm double well pan




**J/NVHV8200**  
4.6 pieces/Lm  
Articulated pan 135°




**J/NVHV8250**  
Articulated pan with double well




**J/NVHV8500** 4.6  
pieces/Lm Hook frost




**TECHNICAL INFORMATION - OTHER ACCESSORIES**




**J/NVHV8550**  
Crochet frost with double well




**J/NVHV8640**  
Ventilation pan/hook transit pan with grid in plastic - 25 cm<sup>2</sup>




**J/NVHV8660** swift pan




**J/NVHV8728**  
Kit cooker pan Ø 125 mm + cap+ connection module + gear unit piece




**JOVH8741**  
Kit cooker pan Ø 100 mm + cap + connection module + gear unit piece



**J/NVHV8958**  
Cable entry pan Ø 50 mm




**J/N0005140**  
Princes hat between 3 princes 1200




**J/N0005500**  
Frost hat between 1 frost 1200 and 2 princes 1200 as north tree


**TECHNICAL INFORMATION - OTHER ACCESSORIES**




**J/N0005520**  
Frost hat between 1 frost and  
1200 2 north trees 3100




**J/N0005540**  
Princes hat between 4  
monarchs 1200




**J/N0005560**  
Prince's hat between 4 north  
trees 3100



**J/N0005900 Piron No. 1**



**J/N0005910 Piron No. 2**



**J/N0005930 Piron No. 4**

# LOHAS

## CONTACT US

P 02 9566 2114  
E [info@lohasau.com](mailto:info@lohasau.com)

W [lohasau.com](http://lohasau.com)  
IG [@lohas\\_australia](https://www.instagram.com/lohas_australia)

LOHAS Australia is a proud  
distributor of the Wienerberger  
product range.

