



MARSELLA





MARSELLA



Specification

- Tile weight: 3.65 kg
- Tiles/sqm (coverage): 11.5-12.8
- Batten measures: 35-39 cm
- Tiles/ pack: 6
- Dimension: 444 x 265 mm



Flexural strength



Impermeability



Frost resistance




Geometric characteristics



The Ceramic tile LOHAS Marsella hits for its beauty, by combining traditional aesthetics with a finished made in roofs of other styles and periods. The LOHAS Marsella is pressed into plaster moulds and is baked high temperatures, temperatures in individual supports H Cassette, giving it a perfect end look and unique quality. The uniformity of all roof tiles, along with its guided assembly systems, allows for quick easy installation



MARSELLA COLOURS



Natural Red



Rustic Natural



Ebano




The high firing temperatures to which Marsella is subjected guarantees an optimal level of water absorption, an exceptional mechanical resistance and the necessary physical and chemical characteristics to ensure the best behavior in presence of cold weather & strength.



Sound Insulation

The roof proves a sound barrier, improving comfort and reducing acoustic noise inside buildings



Thermal Insulation

Clay roof tile provides shading to the buildings. Associated with ventilation, the clay roof tile covering significantly reduces the heating effect of sun exposure.



Technical Support

Provided by experienced technical people. Technical support to the applicator clarifies any doubt during the construction period



Architects Support

Service support for the project, calculation of quantities, fittings identification and budgeting. Beyond the provision of general construction details for each type of roof tile, this service assists and assesses its integration into the project.



Tank water safe

Clay roof tile is a non-toxic product with a natural origin, allowing the use of rainwater for multiple purposes.



Minipacks

Assembled roof tiles in minipacks to enable better storage, pallet stability and facilitate transport and handling during application.

MARSELLA



RECOMMENDED ACCESSORIES

- Ridge
- Starter
- Apex
- Half tile
- Barge tile (right)
- Barge tile (Left)
- Gable tile (right)
- Gable tile (left)



■ Ridge tile



■ Hip starter



■ 3-way Apex



■ Barge tile left



■ Barge tile right



■ Gable tile right



■ Half tile



■ Gable tile left



.INF

© **LOHAS AUSTRALIA, AU.**

All rights reserved.

22a Anzac Street
Greenacre 2190
NSw, AUSTRALIA

(02) 8764 4522

The reproduction of
the original colours
may not be
guaranteed due to
print quality.

