

LOHAS


AUSTRALIA

ECO BRICK COLLECTION
NUBILIUM
SPEC GUIDE

LOHASAU.COM

Eco-brick is the perfect choice for environmentally aware housebuilders

Eco-brick offers all the benefits and features of traditional ceramic facing bricks, but in a slimmer format: An Eco-brick is 35 mm narrower, without compromising durability, strength or stability. The slimline size means 30% more can be fired on a kiln car at any one time. On a like-for-like brick this dematerialisation (doing more with less) results in reducing our overall CO₂ impact.



Soft, nuanced colours

Caled

Slim size

Slightly rough texture

Pure color


Nubilum, natural elegance

-

The Nubilum collection exudes elegance and tranquility, evident in its limed facing bricks with soft, nuanced colours. The refined palette, ranging from white and greige to anthracite grey, coupled with a slightly rough texture, allows for beautiful combinations with various materials. Additionally, this series offers two new bricks with a unique Wasserstrich texture: one with a sun-washed white hue on a cream base and another with misty white tones on a warm, bright grey base. These options enhance natural light and are perfect for creating a serene atmosphere in architectural designs.

Exclusively in the slim Eco-brick format

Nubilum stands as an excellent choice in terms of sustainability. These facing bricks are exclusively available in the slimmer Eco-brick format, providing up to 3.5 cm of additional space for insulation. This allows for denser insulation and the creation of more living space, making them highly suitable for renovation projects.



NUBILUM

COLOUR RANGE



Nubilum Clarus Greige
Eco-brick WF ± 215 x 65 x 50 mm
Eco-brick WDF ± 215 x 65 x 65 mm

Porosity: ≤ 17%
IW3 - normally
absorbent



Nubilum Stratus Greige
Eco-brick WF ± 210 x 65 x 50 mm

Porosity: ≤ 13%
IW2 - little
absorbent



Nubilum Saturn Grey
Eco-brick WF ± 215 x 65 x 50 mm
Eco-brick WDF ± 215 x 65 x 65 mm

Porosity: ≤ 14%
IW4 - highly
absorbent



Nubilum Velum Beige
Eco-brick WF ± 210 x 65 x 50 mm

Porosity: ≤ 15%
IW2 - low suction



Nubilum Helios White

Eco-brick WF ± 215 x 65 x 50 mm

Eco-brick WDF ± 215 x 65 x 65 mm

Porosity: ≤ 17%

IW3 - normal

sucking

LOHAS

CONTACT US

P 02 7259 1054
E info@lohasau.com

W lohasau.com
IG [@lohas_australia](https://www.instagram.com/lohas_australia)